

SP12: **Magnetism and the Motor Effect (Paper 2)**

SP13: **Electromagnetic Induction (Paper 2)**

Lesson	Objectives Tracker Sheet	Date covered	I know this well	I need to do more work on this
SP12a Magnets and magnetic fields	P12.1 Recall that unlike magnetic poles attract and like magnetic poles repel.			
	P12.2 Describe the uses of permanent and temporary magnetic materials including cobalt, steel, iron and nickel.			
	P12.3 Explain the difference between permanent and induced magnets.			
	P12.4 Describe the shape and direction of the magnetic field around bar magnets and for a uniform field, and relate the strength of the field to the concentration of lines.			
	P12.5 Describe the use of plotting compasses to show the shape and direction of the field of a magnet and the Earth's magnetic field.			
	P12.6 Explain how the behaviour of a magnetic compass is related to evidence that the core of the Earth must be magnetic.			
SP12b Electromagnetism	P12.7 Describe how to show that a current can create a magnetic effect and relate the shape and direction of the magnetic field around a long straight conductor to the direction of the current.			
	P12.8 Recall that the strength of the field depends on the size of the current and the distance from the long straight conductor.			
	P12.9 Explain how inside a solenoid (an example of an electromagnet) the fields from individual coils a add together to form a very strong almost uniform field along the centre of the solenoid b cancel to give a weaker field outside the solenoid.			
SP12c Magnetic forces	P12.10H Recall that a current-carrying conductor placed near a magnet experiences a force and that an equal and opposite force acts on the magnet.			
	P12.11H Explain that magnetic forces are due to interactions between magnetic fields.			

	<p>P12.12H Recall and use Fleming's left-hand rule to represent the relative directions of the force, the current and the magnetic field for cases where they are mutually perpendicular.</p>			
	<p>P12.13H Use the equation: force on a conductor at right angles to a magnetic field carrying a current (newton, N) = magnetic flux density (tesla, T or newton per ampere metre, N/A m) × current (ampere, A) × length (metre, m)</p> $F = B \times I \times l$			
	<p>P12.14H Explain how the force on a conductor in a magnetic field is used to cause rotation in electric motors.</p>			
<p>SP13a Electromagnetic induction</p>	<p>P13.1P H Explain how to produce an electric current by the relative movement of a magnet and a conductor: a on a small scale in the laboratory b in the large-scale generation of electrical energy.</p>			
	<p>P13.2 H Recall the factors that affect the size and direction of an induced potential difference, and describe how the magnetic field produced opposes the original change.</p>			
	<p>P13.3P H Explain how electromagnetic induction is used in alternators to generate current which alternates in direction (a.c.) and in dynamos to generate direct current (d.c.).</p>			
	<p>P13.4P H Explain the action of the microphone in converting the pressure variations in sound waves into variations in current in electrical circuits, and the reverse effect as used in loudspeakers and headphones.</p>			
<p>SP13b The national grid</p>	<p>P13.5 H Explain how an alternating current in one circuit can induce a current in another circuit in a transformer.</p>			
	<p>P13.6 H Recall that a transformer can change the size of an alternating voltage.</p>			
	<p>P13.7P H Use the turns ratio equation for transformers to calculate either the missing voltage or the missing number of turns: Potential difference across primary coil/potential difference across</p>			

	secondary coil = number of turns in primary coil/number of turns in secondary coil $V_p / V_s = N_p / N_s$			
	P13.8 Explain why, in the national grid, electrical energy is transferred at high voltages from power stations, and then transferred at lower voltages in each locality for domestic uses, as it improves the efficiency by reducing heat loss in transmission lines.			
	P13.9 Explain where and why step-up and step-down transformers are used in the transmission of electricity in the national grid.			
	P13.11P H Explain the advantages of power transmission in high-voltage cables.			
SP13c Transformers and energy	P13.10 Use the power equation (for transformers with 100% efficiency): potential difference across primary coil (volt, V) × current in primary coil (ampere, A) = potential difference across secondary coil (volt, V) × current in secondary coil (ampere, A) $V_p \times I_p = V_s \times I$			
	P13.11P H Explain the advantages of power transmission in high-voltage cables, using the equations in 10.29, 10.31, 13.7P and 13.10			