

TASK 1: Develop a range of ideas for a logo, based on your initials. This will be transfer printed and sewn onto your tote bag.

TASK 2: Annotate your ideas using technical language, e.g: techniques, fabrics, colours, shapes, etc ...

Design Development:

Design Ideas:

CW CAW

Annotate ...

Explain ...

Describe ...

Final Design:

Templates and Cutting out Fabric

26cm square

seam allowance 1.5cm

Paper template (your name)

sewing line

cutting line

Point the pins towards the fabric edge

Carefully cut around the template, **AVOIDING PINS!**

Finished? Check your folder

Video: Commercial Template & Fabric Cutting (2.30 min)

Sewing Machine

bobbin

arm

spring

thread holder

bobbin winder

hook

needle

presser foot

bobbin door

tension

stitch length

stitch selector

reverse

wheel

You have 10 mins to practise threading up in pairs!

D T

KNOWLEDGE ORGANISER

Year 8 TEXTILES - TOTE BAG

SKILLS



Enhancing Fabrics 1

Task: Make a Laminated Fabric

1. Place white iron-on interfacing (shiny side up) on the ironing board.
2. Place bubble wrap (bubble side down) onto the interfacing.
3. Place paper over the fabrics (very important!).
4. Carefully iron the sample using a hot iron.

- What has the heat done to the fabrics?
- How has the process changed the fabrics' characteristics - is the new fabric better?



Enhancing Fabrics 2

Task: Produce a heat transfer print

1. Place white cotton fabric on the ironing board.
2. Place printed image print-side down onto the cotton fabric.
3. Carefully iron the sample using a hot iron.
4. When cool, peel off the backing paper.

- What has happened to the image?
- How has the process changed the fabrics' characteristics - is the new fabric better?



'HEM' THE TOP EDGES OF YOUR BAG:

1. fold
2. iron
3. pin
4. stitch

2. iron

4. stitch


3. pin

1. fold fabric (1.5cm)

Extension Work: If you want a pocket, you'll also need to hem the top edge of that.

Sewing your Logo onto your Bag

- 1: Cut out logo into a neat square (previously ironed onto cotton fabric)
- 2: Decide where to put it on your bag. **PIN.**
- 3: ZIGZAG stitch around its edges



Sewing your bag together

- 1: Place front & back together, **INSIDE OUT. Pin.**
- 2: Straight stitch around 3 edges.
- 3: Turn **right sides** out and iron flat. Add **straps** if time.

